

Appendix C

INDEX OF MEASURES

Page numbers in **bold** type refer to detailed discussions of measures;
page numbers in *italic* type refer to tables or figures.

- Abbreviated Dyadic Adjustment Scale (ADAS), 213, 224
Abbreviated Symptom Questionnaire (ASQ), 327
Abnormal Involuntary Movement Scale (AIMS), 143,
143, 145, 155, **157–159**, 474
Addiction Severity Index (ASI), 438, 439, **454–457**, 467
Addiction Severity Index—Teen Version (T-ASI), 456–
457
Adolescent Dissociative Experiences Scale (A-DES), 589,
593–594
Adolescent Psychopathology Scale (APS), 337
Adult Attachment Interview (AAI), 217
Adult Separation Anxiety Disorder Checklist (ASA-27),
533
Aggression Questionnaire (AQ), 668, 732, 732, **734–736**,
738
Agnew Relationship Measure (ARM), 189
Agoraphobic Cognitions Questionnaire (ACQ), 533
Alcohol Dependence Scale (ADS), 438, 439, **457–458**,
491
Alcohol Expectancy Questionnaire (AEQ), 439, 440,
459–460
Alcohol Expectancy Questionnaire—Adolescent Version
(AEQ-A), 459
Alcohol Use Disorder and Associated Disabilities
Interview Schedule (AUDADIS), 55
Alcohol Use Disorder and Associated Disabilities
Interview Schedule—Alcohol/Drug-Revised
(AUDADIS-ADR), 47–48
Alcohol Use Disorders Identification Test (AUDIT),
438, 439, 441, **442–444**, 445, 446, 454
Alzheimer’s Deficit Scale, 433
Alzheimer’s Disease Activities of Daily Living
International Scale (ADL-IS), 434
Alzheimer’s Disease Assessment Scale (ADAS), 398,
399, 401–402, **419–421**
Cognitive subscale (ADAS-Cog), 404, 419–421, 429,
434
American National Adult Reading Test, 429
Anchored Brief Psychiatric Rating Scale for Children
(BPRS-C), 252, 254, 258, 260, **292–295**, 478
Anchored Brief Psychiatric Rating Scale for Children,
9-item (BPRS-C9), 254, 258, 260, **293–295**
Anger, Irritability, and Assault Questionnaire (AIAQ),
670, 738, 739
Anxiety Disorders Interview Schedule (ADIS), 39, 323
Anxiety Disorders Interview Schedule for DSM-IV—
Child Version (ADIS-IV-C), 310, *311*, 312, **323–325**
Anxiety Disorders Interview Schedule—Revised
(ADIS-R), 542
Anxiety Sensitivity Index (ASI), 531, 533, 534, 538,
539–540, 541
Brief Panic Disorder Screen, 533, 539, 540
Apathy Evaluation Scale (AES), 375, 377, **389–391**
clinician-rated version (AES-C), 375, 389–391
informant-rated version (AES-I), 375, 389–390
self-rated version (AES-S), 375, 389–390

- Appraisal of Social Concerns, 533
- Approaches to Schizophrenia Communication (ASC), 146
- Arizona Sexual Experience Scale (ASEX), 142, 143, 143, 146, **159–160**
- Association for Methodology and Documentation in Psychiatry–Somatic Signs (AMDP-SS), 150
- Attachment Style Interview (ASI), 217
- Attitudes Toward Guns and Violence Questionnaire (AGVQ), 736
- Atypical Behavior Index, 269
- AUDIT Consumption Questions (AUDIT-C), 443
- Autism Diagnostic Interview (ADI), 338
- Autism Diagnostic Interview—Revised (ADI-R), 261, 310, *311*, **338–340**
- Autism Diagnostic Observation Schedule—Generic (ADOS-G), 340
- Barnes Akathisia Rating Scale (BARS), 143, *143*, 145, **156–157**, 474
- Barratt Impulsiveness Scale, Version 11 (BIS-11), 668, 669, 669, 670, **671–674**, 732
- Barthel Index, 412, 420, 429
- Basic Personality Inventory (BPI), 71
- Bayer Activities of Daily Living Scale, 434
- Bayley Scales of Infant Development, Second Edition (BSID-II), 252, 253, 258, 259, 261, **263–267**, 272
- Bech Melancholia Scale (BMS), 510
- Beck Anxiety Inventory (BAI), 75, 270, 505, *531*, 533, 534, 536, **537**, 682
- Beck Depression Inventory (BDI), 74, 75, 136, 140, 160, 204, 239, 243, 245, 246, 247, 255, 277, 310, 337, 456, 489, 500, *501*, 503, **504–506**, 508, 513, 515, 517, 523, 525, 528, 537, 538, 541, 544, 557, 583, 682
- Beck Depression Inventory—First Revision (BDI-IA), *501*, 504–505
- Beck Depression Inventory—Second Revision (BDI-II), *501*, 504–505
- Beck Hopelessness Scale (BHS), 140, 238, 239, 240, 243, 245, **247–248**
- Beck Lethality Rating Scale, 241, 248
- Beck Scale for Suicide Ideation (BSS), 238, 239, 239–240, **242–243**
- Bedford College Life Events and Difficulties Schedule, 196
- Behavior Assessment System for Children, Second Edition (BASC-2), 252, 254, 258, 260, 261, **302–305**, 363, 383
- Behavior Problem Checklist, 298
- Behavior and Symptom Identification Scale (BASIS-32 and BASIS-24), 62, 63, 63, 64, **77–79**
- Behavioral and Emotional Rating Scale, Second Edition (BERS-2), 344, 346, 347, 348, 363, **366–367**
- Behavioral Pathology in Alzheimer's Disease Frequency Weighted Severity Scale (BEHAVE-AD-FW), 375, 377, **382–384**
- Behavioral Pathology in Alzheimer's Disease Rating Scale (BEHAVE-AD), 375, 377, **382–384**, 386, 434
- Beigel Mania Rating Scale (BMRS), 502, 519–521
- Bellevue Dissociative Disorders Interview for Children (BDDI-C), 589
- Bem Sex Role Inventory (BSRI), 609
- Berkeley Puppet Interview (BPI), 308
- Binge Eating Scale (BES), 623, 632, 635, **646**
- Binge Scale, 638
- Blessed-Roth Dementia Scale, 400, 415, 429
- Body Dysmorphic Disorder Examination (BDDE), 560, 561, 562, 564, **580–582**, 583, 630
- Body Self-Relations Questionnaire, 630
- Body Sensations Questionnaire (BSQ), 533
- Body Shape Questionnaire (BSQ), 581, 622, 623, 624, **629–631**, 645
- Body weight, image, and self-esteem (B-WISE) evaluation, 146
- Boston Naming Test, 417, 429
- Brief Agitation Rating Scale, 384
- Brief Cognitive Rating Scale (BCRS), 399, 404, 405, 420, **431–435**
- Brief Family Assessment Measure (Brief FAM-III), 213, 222
- Brief Impairment Scale (BIS), 353
- Brief Index of Sexual Functioning (BISF), 160
- Brief Index of Sexual Functioning for Women (BISF-W), 605
- Brief Infant-Toddler Social and Emotional Assessment (BITSEA), 252, 253, 258, 259, **268–270**
- Brief Male Sexual Function Inventory (BMSFI), 603, 604, **606–607**
- Brief Pain Inventory (BPI), 560, 561, 564, **572–573**
- Brief Psychiatric Rating Scale (BPRS), 293, 382, 472, 473, 475, **477–480**, 482, 485–487, 490, 497, 583
- Brief Psychiatric Rating Scale for Children (BPRS-C), 252, 254, 258, 260, **292–295**, 478
- Brief Screen for Cognitive Impairment, 420
- Brief Social Phobia Scale (BSPS), 531, 534, **545–546**

- Brief Symptom Inventory (BSI), 62, 63, 64, **73–76**, 200, 569, 608
- Bristol Activities of Daily Living Scale, 420
- Brown Assessment of Beliefs Scale, 533, 564
- Bulimia Test—Revised (BULIT-R), 622, 623, 625, 635, **637–639**
- Bulimic Investigatory Test, Edinburgh (BITE), 638
- Burden Interview (BI), 375, 377, **391–392**
- Buss-Durkee Hostility Inventory (BDHI), 668, 734, 741, 742, 744
- CAGE Questionnaire, 438, 439, 441, **444–445**, 491
- Calgary Depression Scale for Schizophrenia (CDSS), 472, 473, 475–476, **489–491**, 500
- California Psychotherapy Alliance Scale (CALPAS), 189
- California Verbal Learning Test, 429
- Cambridge Cognitive Examination (CAMCOG), 420
- Cambridge Mental Disorders of the Elderly Examination (CAMDEX), 399
- Canadian General Social Survey Health Questionnaire, 123
- Caregiver Dependence Scale, 420
- Caregiver Distress Scale, 383
- Center for Marital and Sexual Health Sexual Functioning Questionnaire (CMSH-SFQ), 603, **607–608**
- Chamberwell Family Interview (CFI), 217, 232
- Changes in Sexual Functioning Questionnaire (CSFQ), 142, 146, 603, **614–615**
- Charleston Psychiatric Outpatient Satisfaction Scale (CPOSS), 164, 165, 165, 168, **178–180**
- Child and Adolescent Functional Assessment Scale (CAFAS), 344, 345, 346, 347, 348, **350–352**
- Child and Adolescent Psychiatric Assessment (CAPA), 252, 253, 254, 255, 258, 259, 261, **285–288**, 290
- Child Assessment Schedule (CAS), 258, 334, 351
- Child Behavior Checklist: Teacher Report Form (CBCL TRF), 252, 254, 261, **296–300**, 367
- Child Behavior Checklist: Youth Self-Report (CBCL YSR), 252, 254, 256, **296–300**, 331, 334, 367
- Child Behavior Checklists (CBCL/1.5–5 and CBCL/6–18), 252, 254, 255, 256, 260, 261, 270, 277, 290, 295, **296–300**, 310, 331, 349, 351, 356, 482, 533, 591, 592, 726
- Competence Scale, 344, 346, 347, 348, **363–365**
- Child Dissociative Checklist (CDC), 588, 589, 589, 590, **591–592**
- Child Health and Illness Profile, 348
- Child Health Questionnaire, 348
- Child Health Related Quality of Life, 355
- Child Interview for Subjective Dissociation Experiences (CISDE), 592
- Childhood Anxiety Sensitivity Index (CASI), 539
- Childhood Autism Rating Scale (CARS), 261
- Children's Attributional Style Questionnaire, 334
- Children's Depression Inventory (CDI), 74, 255, 256, 277, 310, 311, 313, 327, 331, **333–335**
- Children's Depression Inventory Short (CDI-S), 333
- Children's Depression Rating Scale, Revised (CDRS-R), 255
- Children's Global Assessment Scale (CGAS), 84, 274, 281, 344, 345, 346, 347, 348, **349–350**, 351, 352–353
- Children's Impact of Traumatic Events Scale—Revised, 533
- Children's Inventory of Anger (ChIA), 736
- Child's Orientation and Amnesia Test (COAT), 422
- Classroom Performance Profile, 363
- Client Satisfaction Questionnaire-8 (CSQ-8), 164, 165, 165, 168, 169, **176–178**, 185, 187
- Clinical Anxiety Scale (CAS), 531, 536
- Clinical Dementia Rating (CDR) Scale, 374, 399, 399, 401, 404, 408, 420, **427–430**, 433
- Clinical Evaluation of Language Fundamentals, Fourth Edition (CELF-4), 358
- Clinical Global Impressions (CGI) Scale, 84, 85, 86, **90–92**, 134, 294, 479, 482, 497, 542, 583, 678, 680, 682, 685
- Clinical History Schedule (CHS), 44, 46
- Clinical Institute Withdrawal Assessment for Alcohol (CIWA-AD), 438, 439, **460–461**
- Clinical Interview Schedule (CIS), 69
- Clinical Interview Schedule, Revised (CIS-R), 55
- Clinical Mental Status Examination for Complex Dissociative Symptoms, 589
- Clinician Alcohol Use Scale (AUS), 472, 473, 476, **491–493**
- Clinician Dissociation Scale (CDS), 591
- Clinician Drug Use Scale (DUS), 472, 473, 476, **491–493**
- Clinician-Administered PTSD Scale (CAPS), 532, 534, **551–553**, 655
- Clinician-Administered Rating Scale for Mania (CARS-M), 501, 503, **518–519**
- Clock Drawing Test, 398, 399, 401, 404, **413–416**
- Coddington Life Events Scales (CLES), 194, 194, 196, **201–202**

- Cognistat, 398, 399, 401, 402, **410–413**
- Cognitive Abilities Screening Instrument (CASI), 403, 420, 429
- Cognitive Adaptive Test/Clinical Linguistic and Auditory Milestone Scale (CAT/CLAMS), 266
- CogSport, 425
- CogState, 398, 399, 401, 402, **424–426**
- Cohen-Mansfield Agitation Inventory, 377
- Columbia Impairment Scale (CIS), 331, 344, 345, 346, 347, 348, **352–353**
- Columbia Suicide History Form (CSHF), 238, 239, 239, 240, **241–242**
- Columbia University Scale for Psychopathology in Alzheimer's Disease (CUSPAD), 377
- Combined Hassles and Uplifts Scale, 197–198
- Competence Scale of the Child Behavior Checklist (CBCL/6–18), 344, 346, 347, 348, **363–365**
- Composite International Diagnostic Interview (CIDI), 26, 36, 37, 47, 49, 50, **51–55**, 445, 454, 560
- Composite International Diagnostic Interview—Short Form (CIDI-SF), 52
- Composite International Diagnostic Interview—Substance Abuse Module (CIDI-SAM), 52
- Comprehensive Assessment of Spoken Language (CASL), 358
- Comprehensive Assessment of Symptoms and History (CASH), 39, 484
- Comprehensive Psychopathological Rating Scale (CPRS), 514
- Compulsive Activity Checklist, 548
- Computer Assisted Personal Interviewing (CAPI), 54
- Conflict Behavior Questionnaire (CBQ), 213, 216, 218, **227–229**
- Conflict Behavior Questionnaire, short-form versions (CBQ-20 and CBQ-44), 213, **227–229**
- Conflict Tactics Scales (CTS), 213, 216, **229–231**, 732
- Conflict Tactics Scales: Parent-Child version (CTSPC), 213, 216, 229
- Confusion Assessment Method (CAM), 375, 377, **378–379**
for use in intensive care unit (CAM-ICU), 379
- Conners' ADHD/DSM-IV Scales—Adolescent (CADS-A), 314, 315, 331
- Conners' ADHD/DSM-IV Scales—Parent (CADS-P), 314, 315
- Conners' ADHD/DSM-IV Scales—Teacher (CADS-T), 314, 315
- Conners' Adult ADHD Rating Scales, 314
- Conners' Global Index—Parent (CGI-P), 314, 315, 349
- Conners' Parent Rating Scale—Revised (CPRS-R), 304, **314–316**, 356
- Conners' Rating Scales—Revised (CRS-R), 256, 277, 310, 311, 312, 313, **314–316**
- Conners' Teacher Rating Scale (CTRS), 298, **314–316**
- Conners-Wells' Adolescent Self-Report Scale (CASS), 304, **314–316**
- Consortium to Establish a Registry for Alzheimer's Disease (CERAD) behavior rating scale, 377
- Consumer Assessment of Behavioral Health Services (CABHS), 170
- Coopersmith Self-Esteem Inventory (CSEI), 370
- Cornell Scale for Depression in Dementia (CSDD), 375, 377, **388–389**
- Counselor Rating Form (CRF), 190
- CRAFFT Questionnaire, 438, 439, 441, **445–446**
- Criteria for Prodromal States, 476
- Crown-Crisp Experiential Index (CCEI), 63
- Curious Experiences Survey (CES), 594
- Daily Hassles Scale, 194, 194, 196, **197–199**, 201, 204
- Dartmouth Primary Care Cooperative Information Project Functional Assessment Charts (COOP Charts), 108, 109, 109, 110, **111–113**
- Defense Style Questionnaire (DSQ), 688, 691, 692, **727–729**
- Delirium Rating Scale (DRS), 375, 376–377, **380–382**
- Delirium Rating Scale—Revised-98 (DRS-R-98), 375, 377, **380–382**
- Dementia Mood Assessment Scale, 377
- Dementia Rating Scale (DRS), 398, 399, 401, 404, **407–409**, 414, 415, 416, 433
- Dementia Signs and Symptoms (DSS) Scale, 377
- Dementia Symptom Scale, 376
- Denver Developmental Screening Test II (DENVER II), 252, 253, 258, 259, 261, **271–273**
- Depression Questionnaire for Children (DQC), 331
- Derogatis Affects Balance Scale (DABS), 608, 609, 620
- Derogatis Interview for Sexual Functioning (DISF/DISF-II), 602, 603, 604, 605, **610–611**
- Derogatis Interview for Sexual Functioning—Self-report version (DISF-SR), 603, **610–612**, 617–618
- Derogatis Psychiatric Rating Scale (DPRS), 73
- Derogatis Sexual Functioning Inventory (DSFI), 603, 604, **608–610**
- Derogatis Stress Profile (DSP), 194, 194, 196, **200–201**
- Devereux Behavior Rating Scale: School Form, 348

- Diagnostic Interview for Borderline Patients (DIB), 688, 689, **704–705**
- Diagnostic Interview for Children and Adolescents—IV (DICA-IV), 252, 253, 255, 258, 259, 261, 274, 277, **282–284**, 290
- Diagnostic Interview for Children and Adolescents—IV, Adolescent version (DICA-A), 253, 282
- Diagnostic Interview for Children and Adolescents—IV, Child version (DICA-C), 253, 282
- Diagnostic Interview for Children and Adolescents—IV, Parent version (DICA-P), 253, 282
- Diagnostic Interview for DSM-IV Personality Disorders (DIPD-IV), 688, 689, 695–696, **697**, 720
- Diagnostic Interview for Genetic Studies (DIGS), 39, 238
- Diagnostic Interview Schedule (DIS), 36, 37, **51–55**, 66, 255, 406, 507, 560
- Diagnostic Interview Schedule—IV (DIS-IV), 36, 37, **51–55**
computerized version (C-DIS), 54, 55
- Differential Ability Scale (DAS), 266
- Digit Span Test, 379, 415, 417
- Digit Symbol Substitution Test, 417, 426
- Dimensional Assessment of Personality Pathology—Basic Questionnaire (DAPP-BQ), 688, 691, 692, **723–724**
- Direct Assessment of Functional Status (DAFS), 429
- Disability Assessment for Dementia (DAD) Scale, 420
Chinese version (CDAD), 434
- Disability Rating Scale, 423
- Dissociation Questionnaire (DIS-Q), 594
- Dissociative Disorder of Childhood (DDoC), 591, 592
- Dissociative Disorders Interview Schedule (DDIS), 588, 589, 589, 590, **595–596**
- Dissociative Experiences Scale (DES), 588, 589, 589, 590, **592–594**, 596
- Dissociative Experiences Scale—II (DES-II), 589, **592–594**
- Dissociative Experiences Scale—Taxon (DES-T), 589, 593
- Dosage Record and Treatment Emergent Symptom Scale (DOTES), 145
- Drinker Inventory of Consequences (DrInC), 440, **440**, **462–463**
- Drug Abuse Screening Test (DAST), 438, 439, **446–448**, 467
- Drug Attitude Inventory (DAI), 472, 473, 476, **493–495**
- Duke Health Profile (DUKE), 108, 109, 110, **113–115**, 117
- Duke Severity of Illness Checklist, 114
- Duke Social Support and Stress Scale, 114
- Duke-UNC Health Profile (DUHP), 113, 114–115
- Dutch Eating Behavior Questionnaire, 632
- Dyadic Adjustment Scale (DAS), 213, 216, **223–225**
- Eastern Cooperative Oncology Group Performance Status Rating (ECOG-PSR), 121–122
- Eating Attitudes Test (EAT), 623, 627, 635, 638, **646**
- Eating Disorder Examination (EDE), 622, 623, 624, 625, 630, 641, **642–645**, 644
- Eating Disorder Examination—Children’s version (ChEDE), 623, 643
- Eating Disorder Examination—Self-report version (EDE-Q), 623, 643
- Eating Disorder Inventory Referral Form (EDI-RF), 623, 627, 628
- Eating Disorder Inventory Symptom Checklist (EDI-SC), 623, 627, 628
- Eating Disorder Inventory-3 (EDI-3), 622, 623, 624, **626–628**, 635, 638
- Eating Disorder Inventory—Children’s version (KEDS), 623, 626
- Eating Inventory, 623, **631–633**
- Edinburgh Postnatal Depression Scale (EPDS), 500, 501, 503, **522–524**
- Empirical Behavioral Pathology in Alzheimer’s Disease Rating Scale (E-BEHAVE-AD), 383
- Epworth Sleepiness Scale (ESS), 650, 651, 652, **660–661**
- Experience of Care and Health Outcomes Survey (ECHO), 170
- Experiences in Close Relationships Scale, 217
- Expressive Vocabulary Test, Second Edition (EVT-2), 358
- Extended Scale for Dementia, 409
- Eyberg Child Behavior Inventory (ECBI), 310, 311, **317–319**
- Eysenck Personality Questionnaire (EPQ), 550, 672, 741
- Fagerstrom Test for Nicotine Dependence (FTND), 438, 439, **448–449**
- Family Assessment Device (FAD), 213, 216, 218, **220–221**, 223
- Family Assessment Measure (FAM-III), 213, 216, **222–223**

- Family Emotional Involvement and Criticism Scale (FEICS), 217
- Fatigue Severity Scale (FSS), 652
- Fear of Loss of Vigilance Questionnaire, 533
- Fear of Negative Evaluation Scale, 533, 544, 545, 547
- Fear Questionnaire (FQ), 531, 533, 534, **538–539**, 541, 544
- Fear Survey Schedule (FSS), 533
- Fear Survey Schedule for Children—Revised (FSSC-R), 331, 334
- Female Sexual Distress Scale (FSDS), 602, 604, **619–620**
- Female Sexual Function Index (FSFI), 603, 604, 605, **615–616**
- Five-Minute Speech Sample (FMSS), 217
- Fluharty Preschool Speech and Language Screening Test, 272
- Frequency, Intensity, and Burden of Side Effects Rating (FIBSER), 142, 143, 146, 147, **160–161**
- Frequency of Memory Complaints, 420
- Fuld Object Memory Test, 404
- Functional Assessment Staging (FAST), 399, 404, **431–435**
- Functional Cognitive Assessment Scale, 420
- Functional Independence Measure (FIM), 411
- Galveston Orientation and Amnesia Test (GOAT), 398, 399, 402, **422–424**
- Gambling Symptom Assessment Scale (G-SAS), 668, 669, 670, 671, **679–680**
- GDS Staging System, 398, 399, 399, **431–435**
- General Health Questionnaire (GHQ), 62, 63, 64, 66, **67–70**, 505, 528
- Generalized Anxiety Disorder Severity Scale (GADSS), 532
- Geriatric Depression Scale (GDS), 374, 500, 501, 503, 507, **524–526**
- Glasgow Coma Scale, 422–423
- Global Assessment of Functioning (GAF) Scale, 42, 75, 84, 85, 86, 216, 291, 495, 583, 685, 726
- Global Assessment of Psychosocial Disability, 355
- Global Assessment of Relational Functioning (GARF) Scale, 216
- Global Assessment Scale (GAS), 8, 84, 85, **86–89**, 349, 388
- Global Deterioration Scale (GDS), 374, 384, 399, 399, 401, 404, 415, 420, 429, **431–435**
- Goldberg's Standardized Psychiatric Interview (SPI), 523
- Golombok Rust Inventory of Sexual Satisfaction (GRISS), 602, 603, 604, **612–613**
- Gray Oral Reading Test (GORT), 346, 673
- Greek Cross Drawing Test, 415
- Grooved Pegboard Test, 426
- Groton Maze Learning Task, 425
- Guild Memory Test, 434
- Halstead-Reitan Neuropsychological Test Battery, 399
- Hamilton Anxiety Rating Scale (Ham-A; HARS), 140, 505, 531, **535–536**, 537, 544, 545, 548, 557, 678
- Hamilton Depression Index, 510
- Hamilton Rating Scale for Depression (Ham-D), 11, 134, 140, 160, 239, 243, 246, 255, 310, 334, 337, 386, 389, 479, 489, 490, 501, 502, 503, 505, 507, **508–511**, 513, 515, 525–526, 542, 548, 557, 678
- Hare Psychopathy Checklist—Revised (PCL-R), 688, 689, **706–708**
- Hare Psychopathy Checklist: Screening Version (PCL:SV), 689, 706
- Hare Psychopathy Checklist: Youth Version (PCL:YV), 708
- Harkavy Asnis Suicide Survey (HASS), 238, 239, 240, **245–246**, 248
- Harmful Behavior Scale, 434
- Harter Teacher Rating Scale, 363
- Harvard Trauma Questionnaire, 26
- Health Assessment Questionnaire (HAQ), 573
- Health of the Nation Outcomes Scales (HoNOS), 84, 85, 85, 86, **92–95**
- Health of the Nation Outcome Scales for Children and Adolescents (HoNOSCA), 344, 345, 346, 347, 348, **354–355**
- Health Utilities Index (HUI), 108, 109, **122–123**
- Helzer Symptom Checklist, 55
- Heterosexual Behavior Assessment Scale, 609
- Holden Psychological Screening Inventory (HPSI), 62, 63, 63, 64, **71–72**
- Hooper Visual Orientation Test, 415
- Hopkins Motor/Vocal Tic Scale, 342
- Hopkins Symptom Checklist (HSCL), 73
- Hospital Anxiety and Depression Scale (HADS), 500, 501, 503, 517, 522, **527–528**
- Illness Attitude Scale (IAS), 560, 561, 562, 564, **577–579**
- Illness Behaviour Questionnaire (IBQ), 561, 575, 576
- Impact of Event Scale (IES), 532, 533, 534, 552, **553–554**

- Impact of Event Scale: version with arousal symptoms (IES-R), 532, **553–554**
- Infant-Toddler Social and Emotional Assessment (ITSEA), 252, 253, 258, 259, **268–271**
- Information-Memory-Concentration (IMC) Test, 404, 408, 414, 420, 429
- Inpatient Multidimensional Psychiatric Scale (IMPS), 477
- Insight Scale (IS), 472, 473, 476, **497–498**
- Insight and Treatment Attitudes Questionnaire (ITAQ), 472, 473, 476, **496–497**
- Insomnia Severity Index (ISI), 650, 651, 652, **656–657**
- Intellectual Achievement Responsibility Scale, 370
- International Index of Erectile Functioning (IIEF), 603, 604, 605, **613–614**
- International Personality Disorder Examination (IPDE), 688, 689, 695–696, **698–699**, 709
- International Restless Legs Syndrome Study Group Rating Scale (IRLS), 650, 651, 652, **662–663**
- Interpersonal Sensitivity Measure (IPSM), 533
- Intimate Bond Measure (IBM), 214, 234
- Inventory of Depressive Symptomatology (IDS), 239, 501, 502, 503, **511–513**
- Inventory of Depressive Symptomatology—Clinician-administered version (IDS-C), 501, **511–513**
- Inventory of Depressive Symptomatology—Self-report version (IDS-SR), 501, **511–513**
- Inventory of Drug Use Consequences (InDUC), 441, **462–463**
- Inventory of Interpersonal Problems, 693
- Iowa Conners' Teacher Rating Scale, 314, 322
- Issues Checklist (IC), 213, 216, 218, 227, 228
- Item Group Checklist (IGC), 44, 46, 47
- Jenkins Type A Scale, 635
- Jessness Inventory, 74
- Job Content Questionnaire (JCQ), 194, 194, 196, **209–210**
- Karnofsky Performance Status (KPS), 108, 109, 109, 111, **121–122**, 140
- Katz Index of Independence in Activities of Daily Living (Katz ADL), 84, 108, 109, 109, 110, **118–119**, 122
- Kaufman Test of Educational Achievement—Second Edition, Brief Form, 359
- Kaufman Test of Educational Achievement—Second Edition, Comprehensive Form, 359
- Kernberg's Structured Interview, 705
- Kleptomania Symptom Assessment Scale (K-SAS), 668, 669, 671, **685–686**
- Latent Obesity Questionnaire, 632
- Lawton Instrumental Activities of Daily Living Scale (Lawton IADL), 108, 109, 109, 110, 118, **119–121**, 420, 434
- Leyton Obsessional Inventory, 550
- Liebowitz Social Anxiety Scale (LSAS), 531, 534, 545, **546–547**
- Life Events Scales for Children and Adolescents, 194, **201–202**
- Life Experiences Survey (LES), 194, 194, 196, 201, **203–204**
- Life History of Aggression (LHA), 732, 732, 733, 734, **743–744**
- Life Skills Profile (LSP), 84, 85, 85, 86, **95–97**, 473
- Liverpool University Neuroleptic Side Effect Rating Scale (LUNSERS), 146
- Logical Memory Test, 417, 418, 430
- London Handicap Scale, 105
- Lorr Multidimensional Scale for Rating Psychiatric Patients (MSRPP), 477
- Luria-Nebraska Neuropsychological Battery, 399, 411
- M Test scales, 584
- MacArthur Health and Behavior Questionnaire (HBQ), 252, 254, 258, 260, 262, **306–308**
- MacArthur Network on Psychopathology and Development, 306
- Maintenance of Wakefulness Test (MWT), 661
- Maladaptive Index, 269
- Marlowe-Crowne Social Desirability Scale, 204, 221, 538, 557, 635
- Maslach Burnout Inventory, 206
- Massachusetts General Hospital (MGH) Hairpulling Scale, 668, 669, 669, 671, **681–682**, 684
- Mastery of Your Anxiety and Panic II (Panic Attack Record), 532
- Matson Evaluation of Social Skills With Youngsters, 334
- Mattis Dementia Rating Scale. *See* Dementia Rating Scale (DRS)
- Maudsley Obsessional Compulsive Inventory (MOCI), 75, 533, 548, 550
- McCarthy Scales of Children's Abilities, 266
- McGill Pain Questionnaire (MPQ), 560, 561, 562, 564, **568–570**, 571, 573
short-form, 561, 568
- McMaster Clinical Rating Scale (MCRS), 218, 221
- McMaster Structured Interview of Family Functioning (McSIFF), 218, 221

- Measure of Parenting Style (MOPS), 214, 234
- Medical Outcomes Study HIV Health Survey (MOS-HIV), 116
- MedWatch, 142, 143, 144, 148, 151, 153–154
- Mental Health Inventory (MHI), 62, 63, 63–64, 65–67
- Mental Health Inventory (MHI)—Alternate Form (MHI-5AF), 63, 65, 66
- Mental Status Questionnaire, 120
- Michigan Alcoholism Screening Test (MAST), 55, 438, 439, 441, 445, 446, 450–451, 456, 458, 491
- Michigan Alcoholism Screening Test—Brief Version (Brief MAST), 450
- Michigan Alcoholism Screening Test—Geriatric Version (MAST-G), 450
- Michigan Alcoholism Screening Test—Short Version (SMAST), 450
- Middlesex Hospital Questionnaire, 63
- Miller Forensic Assessment of Symptoms Test (M-FAST), 565
- Millon Clinical Multiaxial Inventory—II (MCMI-II), 136, 707, 709, 711, 712
- Millon Clinical Multiaxial Inventory—III (MCMI-III), 690, 692, 710–712, 713
- Mini International Neuropsychiatric Interview (MINI), 36, 37, 39, 48–51
- Mini International Neuropsychiatric Interview (MINI) Kid, 49
- Mini International Neuropsychiatric Interview (MINI) Plus, 49
- Mini-Mental State Exam (MMSE), 8, 374, 378, 379, 381, 392, 398, 399, 401, 402, 403–406, 408, 414, 418, 420, 429, 430, 433, 434, 435, 526, 575
- Minnesota Multiphasic Personality Inventory (MMPI), 25, 62, 63, 64, 71, 74, 79–82, 304, 564, 565, 707, 711, 741
- Minnesota Multiphasic Personality Inventory—Adolescent (MMPI-A), 79–82, 337
- Minnesota Multiphasic Personality Inventory Depression Scale (MMPI-D), 506, 516
- Minnesota Multiphasic Personality Inventory PTSD Scale (MMPI-PTSD), 532, 552, 554
- Minnesota Multiphasic Personality Inventory–2 (MMPI-2), 79–82, 712–713, 715, 720
- Minnesota Multiphasic Personality Inventory–2 Personality Disorder (MMIP-2 PD) Scales, 688, 690, 692, 712–714, 715
- Mississippi Scale (MSS), 532, 552
- Missouri Assessment for Genetics Interview for Children (MAGIC), 284
- Mizes Anorectic Cognitions (MAC) Questionnaire, 622, 623, 625, 633–636
- Mizes Anorectic Cognitions Questionnaire—Revised (MAC-R), 623, 633–636, 634
- Mobility Inventory for Agoraphobia (MI), 531, 534, 540–541
- Mobility Inventory for Agoraphobia—version for accompanied situations (MI-AAC), 531, 540–541
- Mobility Inventory for Agoraphobia—version for patient alone (MI-AAL), 531, 541
- Modified Mini-Mental State (3MS) Examination, 403, 405
- Modified Ordinal Scales of Psychological Development, 434
- Modified Overt Aggression Scale (MOAS), 737, 739
- Modified Oxford Post-Traumatic Amnesia Scale, 423
- Montgomery-Åsberg Depression Rating Scale (MADRS), 75, 501, 502, 503, 510, 513, 514–515, 523, 527
- Montgomery-Åsberg Depression Rating Scale—Clinician-administered version (MADRS-C), 514–515
- Montgomery-Åsberg Depression Rating Scale—Self-rated version (MADRS-S), 501, 501–502, 514–515
- Mood Disorder Questionnaire (MDQ), 501, 502, 503, 521–522
- Multidimensional Adolescent Satisfaction Scale (MASS), 164, 165, 165, 168, 184–185
- Multidimensional Anxiety Scale for Children (MASC), 256, 310, 311, 325, 326–328, 330–331
- Multidimensional Body-Self Relations Questionnaire, 581
- Multidimensional Fatigue Inventory (MFI-20), 652
- Multifocal Assessment Scale, 415
- Multiple Sleep Latency Test (MSLT), 651–652, 660, 661
- Multnomah Community Ability Scale (MCAS), 85
- National Institute on Aging (NIA) Alzheimer's Disease Center Uniform Data Set (UDS) cognitive test battery, 398, 399, 401, 416–418
- National Institute of Mental Health Diagnostic Interview Schedule for Children (NIMH DISC), 252, 253, 254, 255, 257, 258, 259, 261, 274, 277, 278, 279–282, 290, 307, 353
- National Institute of Mental Health Diagnostic Interview Schedule for Children, Parent version (NIMH DISC-P), 253, 279

- National Institute of Mental Health Diagnostic Interview Schedule for Children, Teacher version (NIMH DISC-T), 253, 258, 261, 279
- National Institute of Mental Health Diagnostic Interview Schedule for Children, Version IV (NIMH DISC-IV), 252, 253, 254, 255, 257, 258, 259, 261, 274, 277, 278, **279–282**
- National Institute of Mental Health Diagnostic Interview Schedule for Children, Youth version (NIMH DISC-C), 253, **279–281**
- Negative Emotional Expressiveness Scale (NEE), 658
- Negative Symptom Rating Scale, 476
- NEO Five-Factor Inventory (NEO-FFI), 72, 690, 719, 720
- NEO Personality Inventory—Revised (NEO-PI-R), 4, 688, 690, 692, **718–721**, 724
- Neurobehavioral Cognitive Status Examination (NCSE), 398, 399, 410
- Neuroleptic Dysphoria Scale (NDS), 494
- Neuropsychiatric Inventory (NPI), 375, 377, 383–384, **385–387**, 434
- caregiver-administered version (CGA-NPI), 377, 385–387
- nursing home version (NPI-NH), 377, 385–387
- self-administered questionnaire version (NPI-Q), 377, 385–387
- New York Parent Rating Scale—Preschool-Aged (NYPRS-P), 320
- New York Parent Rating Scale—School-Aged (NYPRS-S), 320
- New York Rating Scales (NYRS), 310, *311*, **320–323**
- New York Teacher Rating Scale—Preschool-Aged (NYTRS-P), **320–322**
- New York Teacher Rating Scale—School-Aged (NYTRS-S), **320–323**
- New York University Clinicians' Interview-Based Impression of Change Plus Caregiver Input (NYU CIBIC-Plus), 384
- Novaco Anger Scale and Provocation Inventory (NAS and PI), 736
- Nurses' Observation Scale for Geriatric Patients (NOSGER), 420
- Nursing Observation Scale for Inpatient Evaluation, 479
- Obsessive Compulsive Drinking Scale (OCDS), 440, *440*, **463–464**
- Obsessive-Compulsive Inventory (OCI), 533
- Occupational Stress Inventory, 201
- Ontario Child Health Study scales (OCHS-R), 306
- Overt Aggression Scale (OAS), 737, 739
- Overt Aggression Scale—Modified (OAS-M), 668, 732, 732, 733, 734, **737–739**
- Paddington Complexity Scale, 355
- Padua Inventory (PI), 531, 534, **549–551**
- Padua Inventory—Revised versions (PI-R), 531, **549–551**
- Panic Disorder Severity Scale (PDSS), 531, 534, **542–543**
- Parent Satisfaction Scale (PSS), 164, 165, *165*, 168–169, **186–187**
- Parental Bonding Instrument (PBI), 212, *214*, 217, **233–234**
- Parental Bonding Instrument, brief current form (PBI-BC), *214*, 234
- Parent-Child Relationship Scale (PCRS), 287
- Parenting Stress Index (PSI), 196, *213*, 216, **225–227**, 319
- Parenting Stress Index—Short Form (PSI-SF), *213*, **225–227**
- Pathological Gambling Modification of the Yale-Brown Obsessive Compulsive Scale (PG-YBOCS), 668, 669, 670, **677–679**
- Patient Comment Card, 169
- Patient Health Questionnaire (PHQ), 36, 37, *37*, 39, **58–59**, 290, 291, 292, 500, 560, 622
- Patient Health Questionnaire for Adolescents (PHQ-A), 58, 252, 254, 258, 260, **290–292**
- Patient Judgment System, 164, 169
- Patient Rated Inventory of Side Effects (PRISE), 161
- Patient Satisfaction Questionnaire (PSQ-II, PSQ-III), 164, 165, *165*, 167, 168, **173–176**
- Peabody Picture Vocabulary Test, Fourth Edition (PPVT-4), 344, 345, 346, *347*, **357–358**
- Penn Helping Alliance Rating Scale (Penn), 189
- Penn State Worry Questionnaire (PSWQ), 532, 533, 534, 550, **556–557**
- Perceived Competence Scale for Children (PCSC), 334, 370
- Perceived Criticism Measure (PCM), 212, *213*, 217, **232–233**
- Perceived Stress Scale (PSS), 194, *194*, 196, **204–206**
- Perceptions of Care (PoC), 164, 165, *165*, 168, **181–183**
- Personal Adjustment and Role Skills Scale III, 353
- Personal Experience Screening Questionnaire (PESQ), 438, *439*, **451–452**

- Personality Assessment Inventory (PAI), 688, 690, 692, 707, 713, **716–718**
- Personality Assessment Schedule, 693
- Personality Diagnostic Questionnaire—4 (PDQ-4), 690, 692, **708–710**, 713, 720, 724
- Personality Diagnostic Questionnaire—4: Alternative version (PDQ-4+), 690, 709
- Personality Diagnostic Questionnaire—Revised (PDQ-R), 672
- Personality Disorder Interview–IV (PDI-IV), 688, 689, 695–696, **700**
- Personality Inventory for Children (PIC), 258
- Petterson Mania Scale, 520–521
- Pfeffer Outpatient Disability Scale, 400
- Physical Self Maintenance Scale, 120, 420
- Piers-Harris Children's Self-Concept Scale (PHCSCS), 370
- Pittsburgh Sleep Quality Index (PSQI), 650, 651, 652, **653–655**
- Pittsburgh Sleep Quality Index: Addendum for PTSD (PSQI-A), 651, 654, 655
- Positive and Negative Syndrome Scale (PANSS), 420, 472, 473, 475, 476, 479, **480–483**, 485–487, 490, 491
- Positive and Negative Syndrome Scale: child and adolescent version (Kiddie-PANSS), 473, 481, 482, 483
- Posttraumatic Stress Diagnostic Scale (PDS), 532, 534, **555–556**
- Post-Traumatic Stress Disorder Reaction Index for Children, 533
- Pregnancy Experience Scale, 196
- Preschool Age Psychiatric Assessment (PAPA), 252, 254, 258, 260, 287, 288, **289–290**
- Preschool Behavior Questionnaire (PBQ), 258
- Preschool Behavior Questionnaire–Parent Completed (PBQ-P), 258
- Preschool and Early Childhood Functional Assessment Scale, 350
- Preschool Language Scale–3, 266
- Prescreening Developmental Questionnaire II (PDQ II), 271–272
- Present State Examination (PSE), 44, 46, 47, 69, 75, 285, 489, 498
- Primary Care Evaluation of Mental Disorders (PRIME-MD), 39, 49, 58, 59, 290, 291, 505, 560
- Profile of Female Sexual Function (PFSF), 603, 605, **617–618**
- Profile of Mood States (POMS), 140, 502
- Psychiatric Diagnostic Screening Questionnaire (PDSQ), 36, 37, 37, 39, **56–58**, 560
- Psychiatric Epidemiology Research Interview (PERI), 140
- Psychiatric Institute Trichotillomania Scale (PITS), 668, 669, 669, 671, 682, **683–684**
- Psychiatric Research Interview for Substance and Mental Disorders (PRISM), 39
- Psychiatric Satisfaction Care Questionnaire, 169
- Psychiatric Status Rating Scale for Body Dysmorphic Disorder (BDD-PSR), 581, 583
- Psychogeriatric Dependency Rating Scales (PGDRS), 375, 377, **394–395**
- Psychological Screening Inventory, 204
- Psychopathology Rating Schedule, 480
- Psychopathy Checklist—Revised (PCL-R), 72
- Psychosocial Adjustment to Illness Scale (PAIS), 127
- PTSD Symptom Scale—Interview Version (PSS-I), 655
- Quality of Life Enjoyment and Satisfaction Questionnaire (Q-LES-Q), 126, 128, **133–134**
- Quality of Life Index (QLI), 126, 128, **134–135**
- Quality of Life Index for Mental Health (QLI-MH), 132
- Quality of Life Interview, 126, 127, 128, **129–130**, 472–473
- Quality of Life Inventory, 126, 128, **136–137**
- Quality of Life Scale (QLS), 126, 127, 128, **130–131**
- Quantitative Inventory of Drinking Behavior, 456
- Questionnaire on Eating and Weight Patterns—Adolescent version (QEWPA), 623, 640, 641
- Questionnaire on Eating and Weight Patterns—Revised (QEWPR), 622, 623, 625, **640–642**
- Quick Inventory of Depressive Symptomatology (QIDS), 501, 503, **511–513**
- Quick Inventory of Depressive Symptomatology—Clinician-administered version (QIDS-C), 161, 501, **511–513**
- Quick Inventory of Depressive Symptomatology—Self-report version (QIDS-SR), 501, **511–513**
- RAND-36 Health Survey, 658
- Rape Aftermath Symptom Test (RAST), 554
- Raskin Scale, 510, 523
- Rating of Medication Influences (ROMI), 494
- Rating Scale for Extrapyrimal Side Effects (Simpson-Angus EPS Scale), 143, 143, 145, 151, **154–155**, 474, 491

- Reasons for Living Inventory (RFL), 243
- Recent Life Changes Questionnaire (RLCQ), 194, 194, 196, 199, 204, **207–208**
- Record of Independent Living, 408
- Relationship Inventory (RI), 190
- Renard Diagnostic Interview, 282
- Revised Behavior Problem Checklist (RBPC), 322
- Revised Children's Manifest Anxiety Scale (RCMAS), 327, 331, 334
- Revised Conflict Tactics Scales (CTS2), 213, 216–217, **229–231**, 732
- Revised Diagnostic Interview for Borderlines (DIB-R), 689, **704–705**
- Revised Dyadic Adjustment Scale (RDAS), 213, 224
- Revised Interpersonal Adjectives Scales, 722
- Rey Auditory Verbal Learning Test, 429
- Rey Complex Figure task, 429
- Reynolds Adolescent Depression Scale, 2nd Edition (RADS-2), 310, 311, 334, **335–337**
- Reynolds Child Depression Scale (RCDS), 353
- Rey-Osterrieth figure drawing test, 415
- Roland Disability Questionnaire (RDQ), 573
- Rosenberg Self-Esteem Scale, 581
- Rotter's Internal-External Locus of Control Scale, 204
- Sandoz Clinical Assessment–Geriatric (SCAG), 420, 434
- Saving Inventory, 533
- Scale to Assess Unawareness of Mental Disorder (SUMD), 496, 498
- Scale for the Assessment of Negative Symptoms (SANS), 472, 473, 475, 479, 482, **483–487**
- Scale for the Assessment of Positive Symptoms (SAPS), 472, 473, 475, 479, 482, **483–487**
- Scale for Suicide Ideation (SSI), 239, 240, **242–243**
- Schedule for Affective Disorders and Schizophrenia (SADS), 11–12, 38, 47, 255, 518, 737
- Schedule for Affective Disorders and Schizophrenia for School-Age Children (K-SADS), 5, 257, 261, **273–278**, 281, 285, 290, 292, 300
- Schedule for Affective Disorders and Schizophrenia for School-Age Children: Epidemiological, Fourth Version (K-SADS-E-IV), 273, 276, 278
- Schedule for Affective Disorders and Schizophrenia for School-Age Children: Lifetime Version (K-SADS-L), 273, 274, 276, 278
- Schedule for Affective Disorders and Schizophrenia for School-Age Children: Present Episode (K-SADS-P), 276, 277
- Schedule for Affective Disorders and Schizophrenia for School-Age Children: Present and Lifetime Version (K-SADS-PL), 252, 253, 255, 257, 258, 259, 261, **273–278**, 281, 285, 290, 292, 300
- Schedule for Affective Disorders and Schizophrenia for School-Age Children IVR (K-SADS-IVR), 273, 274
- Schedule for the Deficit Syndrome (SDS), 472, 473, 475, 486, **487–489**
- Schedule for Nonadaptive and Adaptive Personality (SNAP), 688, 690, 692, **714–716**, 720
- Schedule of Recent Experience (SRE), 194, 196, 207
- Schedules for Clinical Assessment in Neuropsychiatry (SCAN), 36, 37, **44–48**, 55, 474, 560
- Screen for Caregiver Burden (SCB), 375, 377, **393–394**
- Screen for Child Anxiety Related Emotional Disorders (SCARED), 310, 311, **329–332**
- Screen for Child Anxiety Related Emotional Disorders—Revised (SCARED-R), **329–332**
- Screeener for Somatoform Disorders, 560, 561, 563, **566–567**
- Screening for Somatoform Symptoms—7 (SOMS-7), 563
- Self-Description Questionnaire (SDQ), 344, 346, 347, 348, **370–371**
- Self-Perception Profile for Children, 348, 367
- Self-Reported Antisocial Behavior Scale, 312
- Self-Reported Delinquency Scale, 312
- Semi-Structured Assessment for the Genetics of Alcoholism (SSAGA), 39
- Service Satisfaction Scale—30, 164, 167, 169
- Severe Impairment Battery, 399
- Sex Knowledge and Attitudes Test (SKAT), 609
- Sexual Arousalability Inventory (SAI), 605
- Sexual Function Questionnaire (SFQ), 604, 605
- Sexual Health Inventory for Men (SHIM), 613–614
- Sexual Interaction Inventory (SII), 605
- Shedler-Westen Assessment Procedure—200 (SWAP-200), 688, 691, 692, **725–727**
- Sheehan Disability Scale, 84, 85, 85, 86, **100–102**, 545
- Short Inventory of Problems (SIP), **462–463**
- Short Orientation Memory Test, 420
- Short Portable Mental Status Questionnaire, 399, 415, 429
- Short PTSD Rating Interview (SPRINT), 532
- Short-Form 12-Item Health Survey (SF-12), 105, 116
- Short-Form 36-Item Health Survey (SF-36), 65, 78, 84, 105, 108, 109, 109, 111, 113, **116–117**, 118, 138
- Sickness Impact Profile (SIP), 110, 114, 115, 117

- Simpson-Angus EPS Scale, 143, *143*, 145, 151, **154–155**, 474, 491
- Skin Picking Impact Scale (SPIS), 670
- Skin Picking Scale (SPS), 670
- Sleep Disorders Questionnaire (SDQ), 652
- Sleep/Wake Activity Inventory (SWAI), 652
- Slosson Intelligence Test, 348
- Social Adaptive Function Scale, 420
- Social Adjustment Scale (SAS), 84, 85, 86, **97–99**
- Social Adjustment Scale—Self-Report Version (SAS-SR), 85
- Social Avoidance and Distress Scale, 538, 544, 547
- Social Behavior Assessment, 363
- Social Interaction and Anxiety Scale, 547
- Social and Occupational Functioning Assessment Scale (SOFAS), 84, 85, 86
- Social Phobia and Anxiety Inventory (SPAI), 531, 538, **543–544**, 547
- Social Phobia and Anxiety Inventory—Child version (SPAI-C), 531, 544
- Social Phobia Inventory: three-item screening version (mini-SPIN), 532
- Social Phobia Inventory (SPIN), 532
- Social Phobia Scale, 547
- Social Readjustment Rating Questionnaire (SRRQ), 207
- Social Readjustment Rating Scale, 198–199, 207
- Social Skills Rating System (SSRS), 304
- Social Skills Scale of the Social Skills Rating System (SSRS), 344, 346, 347, 348, **362–363**
- Social-Relatedness Index, 269
- Somatic Symptom Inventory (SSI), 66
- Somatoform Disorders Schedule (SDS), 560, 561, **566–567**
- Somatoform Disorders Symptom Checklist, 560, 561, 563, **566–567**
- Somatoform Dissociation Questionnaire (SDQ-20), 563
- Somatosensory Amplification Scale (SAS), 564
- South Oaks Gambling Screen (SOGS), 668, 669, 669, 670, **674–676**, 678
- South Oaks Leisure Activities Screen (SOLAS), 676
- Spence Children's Anxiety Scale (SCAS), 330, 331
- Spitzer Quality of Life Index (Spitzer QL-Index), 126, 127–128, **139–140**
- St. Paul-Ramsey Life Experience Scale, 241
- Stages of Change Readiness and Treatment Eagerness Scale (SOCRATES), 438, 440, **465–466**
- Standardized Assessment of Personality, 693
- Standardized Psychiatric Interview (SPI), 523
- Stanford Sleepiness Scale (SSS), 652
- Stanford-Binet Test of Mental Aptitude, 265, 266, 272, 346, 348, 358
- State-Trait Anger Expression Inventory (STAXI), 668, 672, 740–742
- State-Trait Anger Expression Inventory-2 (STAXI-2), 732, 732, 733, **740–742**
- State-Trait Anxiety Inventory, 203–204, 533, 537, 538, 541, 544, 556, 557
- State-Trait Personality Inventory (STPI), 741
- Strange Situation Assessment, 217
- Strengths and Difficulties Questionnaire, 355
- Structural Analysis of Social Behavior (SASB), 688, 690, 692, **721–723**
- Structured Assessment Record of Alcoholic Homes (SARAH), 284
- Structured Clinical Interview for DSM-III-R Axis I Disorders (SCID), 507, 540
- Structured Clinical Interview for DSM-III-R, Patient Version (SCID-P), 49, 50
- Structured Clinical Interview for DSM-IV Axis I Disorders (SCID-I), 11, 36, 37, **40–43**, 290, 474, 500, 502, 521, 556, 560, 581, 622, 641
- Structured Clinical Interview for DSM-IV Axis I Disorders—Clinician Version (SCID-CV), 37, 40, 41–42
- computer-assisted version (CAS-CV), 42
- Structured Clinical Interview for DSM-IV Axis I Disorders—Nonpatient Edition (SCID-I/NP), 37, 40, 42
- Structured Clinical Interview for DSM-IV Axis I Disorders—Patient Edition (SCID-I/P), 37, 40
- Structured Clinical Interview for DSM-IV Axis I Disorders—Patient Edition (SCID-I/P) With Psychotic Screen, 37, 40
- Structured Clinical Interview for DSM-IV Axis II Personality Disorders (SCID-II), 41, 688, 689, 695–696, **701–702**, 724
- Structured Clinical Interview for DSM-IV Childhood Diagnoses (KID-SCID), 331
- Structured Clinical Interview for DSM-IV Dissociative Disorders—Revised (SCID-D-R), 588, 589, 589, 590, 594, 596, **597–599**
- Structured Clinical Interview for Separation Anxiety Symptoms, 533
- Structured Clinical Interview for the Positive and Negative Syndrome Scale (SCI-PANSS), 481

- Structured Interview for DSM-III-R Personality—Revised (SIDP-R), 715
- Structured Interview for DSM-IV Personality (SIDP-IV), 688, 689, 695–696, **702–703**
- Structured Interview of Reported Symptoms (SIRS), 562, 565, **584–585**
- Structured Inventory of Malingered Symptomatology (SIMS), 565
- Student Worry Scale, 557
- Suggested Immobilization Test (SIT), 662
- Suicide Intent Scale (SIS), 238, 239, 240, **244–245**, 248
- Sutter-Eyberg Student Behavior Inventory (SESBI), 317
- Symptom Checklist–90 (SCL-90), 73, 136, 456, 507, 578
- Symptom Checklist–90—Revised (SCL-90-R), 62, 63, 64, **73–76**, 78, 79, 537, 548, 560, 711
- Symptom Index for Benign Prostatic Hyperplasia, 606
- Symptom-Driven Diagnostic System for Primary Care (SDDS-PC), 39
- Syndrom Kurztest (SKT), 404, 415, 420
- Systematic Assessment for Treatment Emergent Events—General Inquiry (SAFTEE-GI), 142, 143, 144, 145, **148–150**
- Systematic Assessment for Treatment Emergent Events—Specific Inquiry (SAFTEE-SI), 145, **148–150**
- Teacher Report Form (TRF), 252, 254, 261, **296–300**, 367
- Teacher Telephone Interview, 258, 261, 262
- Telephone Interview for Cognitive Status (TICS), 403
- Temperament and Character Inventory, 693
- Tennessee Self-Concept Scale, 114, 115
- Test for Early Detection of Dementia From Depression, 420
- Three-Area Severity of Depression Scale, 510
- Three-Factor Eating Questionnaire (TFEQ), 622, 623, 624, **631–633**
- Timeline Followback (TLFB), 438, 440, 441, **466–468**
- Tourette Syndrome Severity Scale (TSSS), 342
- Tourette Syndrome—Clinical Global Impression Scale (TS-CGI), 342
- Tourette's Syndrome Global Scale (TSGS), 341, 342
- Trail Making Test—Part A, 417
- Trail Making Test—Part B, 381, 411, 417, 418, 426
- TWEAK Test, 438, 439, 441, 445, **453–454**
- Udvalg for Kliniske Undersogelser (UKU) Side Effect Rating Scale, 142, 143, 144, 145, 146, **151–152**
- Udvalg for Kliniske Undersogelser (UKU) Side Effect Rating Scale-Pat, 146
- University of Rhode Island Change Assessment (URICA), 438, 440, 465, 466, **468–470**
- Vancouver Obsessional Compulsive Inventory (VOCI), 533
- Vanderbilt Therapeutic Alliance Scale (VTAS), 189
- Verona Service Satisfaction Scale, 169
- Vineland Adaptive Behavior Scales, Second Edition (Vineland-II), 344, 346, 347, 348, 363, **368–369**
- Parent/Caregiver Rating Form, 346, 368
- Survey Interview Form, 346, 348, 368–369
- Teacher Rating Form, 346, 368
- Visual Analog Scale for Confusion, 379
- Visual Analog Scale for Fatigue (VAS-F), 652
- Visual analog scales (for pain), 560, 561, 562, 564, 568, **570–572**
- Voice DISC, 280
- Wakefield Depression Inventory, 505
- Walker-McConnell Scale of Social Competence and School Adjustment, 348, 367
- Ways of Coping Questionnaire, 693
- Wechsler Adult Intelligence Scale (WAIS), 360, 399, 404, 415, 417, 673
- Wechsler Individual Achievement Test—Second Edition (WIAT-II), 344, 345, 346, 347, 359, **360–361**
- Wechsler Intelligence Scale for Children—Revised (WISC-R), 263, 265, 346, 348
- Wechsler Intelligence Scale for Children—Third Edition (WISC-III), 358, 360
- Wechsler Memory Scale, 404, 408, 417
- Wechsler Preschool and Primary Scale of Intelligence—Revised (WPPSI-R), 266, 360
- West Haven–Yale Multidimensional Pain Inventory (WHYMPI), 564
- Whiteley Index of Hypochondriasis, 560, 561, 564, **575–577**
- WHO Function Scale, 121
- Wide Range Achievement Test 4 (WRAT4), 344, 345, 346, 347, **358–359**, 635
- Wisconsin Personality Disorders Inventory—IV, 693
- Wisconsin Quality of Life Index (W-QLI), 126, 127, **132–133**
- Wolinsky Amnesia Information Test, 423

- Women's Health Initiative Insomnia Rating Scale (WHIIRS), 650, 651, 652, **658–659**
- Wong-Baker FACES Pain Rating Scale, 560, 561, 564, **574–575**
- Woodcock-Johnson III Tests of Achievement, 359
- Working Alliance Inventory (WAI), 164, 165, 165, 169, **187–190**
- Working Alliance Inventory, Short Form (WAI-S), 188–189
- World Health Organization Disability Assessment Schedule II (WHODAS II), 84, 85, 85, 86, **103–105**
- World Health Organization Quality of Life Scales (WHOQOL-100, WHOQOL-BREF, WHOQOL-SRBP, WHOQOL-OLD, WHOQOL-HIV), 105, 126, 127, 128, **137–138**
- Worry Domains Questionnaire, 557
- Yale Global Tic Severity Scale (YGTSS), 310, 311, **341–342**
- Yale-Brown Obsessive Compulsive Scale (Y-BOCS), 75, 310, 463, 531, 533, 534, **547–549**, 551, 582, 670, 681
- Yale-Brown Obsessive Compulsive Scale—Child version (CY-BOCS), 531, 548
- Yale-Brown Obsessive Compulsive Scale Modified for Body Dysmorphic Disorder (BDD-YBOCS), 560, 562, 562, 564, 581, **582–583**
- Yale-Brown Obsessive Compulsive Scale: Pathological Gambling Modification (PG-YBOCS), 668, 669, 670, **677–679**
- Yale-Brown-Cornell Eating Disorder Scale (YBC-EDS), 623, **646**
- Young Adult Psychiatric Assessment (YAPA), 287
- Young Mania Rating Scale (YMRS), 501, 502, **519–521**
- Youth Outcome Questionnaire (Y-OQ), 344, 345, 346, 347, 348, **355–356**
- Youth Satisfaction Questionnaire, 164, 169
- Youth Self-Report (YSR), 252, 254, 256, **296–300**, 331, 334, 367
- Zubrod Scale, 121
- Zung Self-Rating Depression Scale (Zung SDS), 114, 115, 500, 501, 503, 505, 506, 508, **516–517**, 525–526, 557